Halophila Beccarii ASCHERSON in Nouv. Giornal. Bot. Ital. **3**: 302 (1871)—ASCHERSON et GÜRCKE in ENGL. et PRANTL, Naturpflanzenfam. **2**-1 : 249 (1889)—MERRILL, Enum. Philipp. Pl. **1**: 25 (1923)—OSTENFELD, in Pflanzenareale **2** : 37, Karte 24 (1927).

Hab. Japonia: Taiwan, Prov. Takao, Heito-gun, porto Tōkō (legitor ?).

Nom. Jap. *Nankai-umihirumo* (nom. nov.).

New to the Flora of Japan. (F. MAEKAWA)

○かんあやめ

近年伊豆方面デ十二月頃カラ寒中ニ戸外デ、紫色ノ可憐ナ花ヲ開クあやめノ一種ガ植エラレテキテ、植木屋ハコレヲかんあやめト呼ンデキル。扁平デ綠色ナ葉ノ中カラ、葉狀苞ニ包マレタ花軸ヲ抽出シテ、頂ニ一花ヲ開ク。外花被片ハ極メテ長イ爪部ヲ有シ、上半ハ略菱形ニ廣マリ平開シ先端鈍頭、美シイ紫色デ、下半ハ白地ニ濃紫色ノ脈ガアリ中肋部ハ黃色デアル。內花被モ亦長イ爪部ヲ有シ、上半ハ卵形ニ廣マリ幅約 2cm 許、紫色デ爪部ハ暗褐色ノ細カイ斑點デオホハレテキル。雌蕋ハ三岐、各枝ハ稍直立シ上半二裂シ更ニ一二剪裂シ、淡紫色デ、下部表面ニ微細ナ黃色粉狀突起ヲ有スルノガ著シイ特徵デアル。

本種ハ學名ヲ **Iris stylosa** DESFONTAINES, 1798 (=*I. unguicularis* POIRET 1799) ト云ヒ、アルヂエリヤ・小アジア・ギリシヤ・シリヤ方面ノ原產デアルガ、古クカラ園藝品トシテ栽培サレテキタモノデ、白花品其他ノ園藝品種モ知ラレテキル。CURTIS, Bot. Mag. t. 5773 (1869) ヤ DYKES, Iris t. XIV (1913) ニ立派ナ圖ガアル。 (原 寛)

ERRATA

M. KUMAZAWA: On the ovular structure in the Ranunculaceae and Berberidaceae, in Vol. XIV, No.1 (1938).

The fourth line from bottom on page 19 was inserted there by the printer's mistake and should be put in between the seventh and eighth lines from bottom on the same page: and also the third line from top on page 22, in between the second and third lines from top on the next page.